


COMPACT

Studio Eurolinea Design, 2010



0,02m³ - 4,5 kg
43x91x4,5cm
1 pc [carton]

Techno-polymer folding chair, folded in a minimum space of 35mm.
Seduta pieghevole in tecnopolimero, richiudibile in un minimo ingombro di 35mm.



FIRE RETARDANT

IGN Versions follows UNI 9177 certification in terms of Fire Resistance, Fire Reaction Class 2.
Versioni IGN prodotto Omologato con Classe di Reazione al fuoco 2, UNI 9177.



PERFORMED TEST

1. Safety requirements EN 16139:2013+AC:2013
2. Information for use EN 16139:2013+AC:2013
3. Seat and back static load test EN 1728:2012+AC:2013
4. Vertical load on back rest EN 1728:2012+AC:2013
5. Seat and back fatigue test EN 1728:2012+AC:2013
6. Seat front edge durability test EN 1728:2012+AC:2013
7. Leg forward static load test EN 1728:2012+AC:2013
8. Leg sideways static load test EN 1728:2012+AC:2013
9. Seat impact test EN 1728:2012+AC:2013
10. Back impact test EN 1728:2012+AC:2013
11. Stability - EN 1022:2005



ACCESSORIES

UNDERSEAT COVER | COPERTINA SOTTOSEDILE

Compact under seat cover, to be assembled, black color.
Copertina sotto sedile Compact, da assemblare, colore nero.



TROLLEY | CARRELLO

Trolley for Compact chair 7 pieces / 14 pieces.
Carrello sedia Compact 7 pezzi / 14 pezzi.



WALL HOOK | GANCIO A MURO

Wall hook 2 / 4 fold chairs.
Gancio a muro per 2 / 4 sedie pieghevoli.



In all components, parts or materials used to make its own products, be they plastic or metal, there are no dangerous substances within the certified limits of the following test methods reports:

In tutti i componenti, parti o materiali utilizzati per realizzare i propri prodotti, siano essi plastici o metallici, non sono presenti sostanze pericolose nei limiti certificati dei seguenti metodi e rapporti di prova:

Cadmium/Cadmio UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009
Lead/Piombo UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009
Mercury/Mercurio UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009
Arsenic/Arsenico UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009
Selenium/Selenio UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009
Chrome/Cromo VI CEI EN 62321:2009 Annex C
Diisobutil ftalato (DIBP) CPSC-CH-C1001-09.3:2010
Dibutil ftalato (DBP) CPSC-CH-C1001-09.3:2010
Benzilbutil ftalato (BBP) CPSC-CH-C1001-09.3:2010
Di-(2-etilesil) ftalato (DEHP) CPSC-CH-C1001-09.3:2010
Di-n-ottil ftalato (DNOP) CPSC-CH-C1001-09.3:2010
Diisononil ftalato (DINP) CPSC-CH-C1001-09.3:2010
Diisodecil ftalato (DIDP) CPSC-CH-C1001-09.3:2010
Dipentil ftalato (DPP) CPSC-CH-C1001-09.3:2010
Dimetossietil ftalato (DMEP) CPSC-CH-C1001-09.3:2010

Material "Plastomero/Elastomero" Report n. |Rapporto di prova n. 20205954-002

Material "Polipropilene" Report n. |Rapporto di prova n. 20205139-002

Material "Metal Screws-Inserts/Ferramenta Metallica" Report n. |Rapporto di prova n. 20205139-001



COMPACT COLLECTION

Compact stands out for its anodized aluminum structure and special polymer details, all folded in a minimum space of 35mm.

Compact si contraddistingue per il profilo in alluminio anodizzato e i particolari in tecnopolimero, il tutto richiudibile in un minimo ingombro di 35mm.

