



Lo schienale è proposto con forme diverse: un design più morbido e arrotondato, e uno di forma più squadrata, entrambi comunque confortevoli ed ergonomici.  
Le versioni imbottite, anch'esse facilmente impilabili, possono essere dotate di braccioli fissi in due differenti forme con l'applicazione di tavolette per scrittura, anche antipanico.

*The backrest comes in different shapes: a softer, more rounded design or a squarer shape, both comfortable and ergonomic.  
The versions for upholstery, which can also be easily stacked, can be provided with fixed armrests in two different forms with the application of tablet arms, also panic-proof.*

# 1900



# 1900P



S1900P 4 LEGS



S1900P 4 LEGS WITH ARMS



TR1900P BENCH

# 1900T



S1900T 4 LEGS



S1900T 4 LEGS WITH ARMS AND TABLET



**BRTV520-DX**  
Bracciolo destro con tavoletta antipanico  
*Right arm with antipanic writing tablet*



**BRTV520-SX**  
Bracciolo sinistro con tavoletta antipanico  
*Left arm with antipanic writing tablet*

**SPVR520**  
Supporto bracciolo  
*Arm support*



TR1900T BENCH FOR UPHOLSTERY - OVERTURNABLE SEAT

Tavoletta antipanico sinistra per mancini  
*Antipanic writing tablet for left-handed*

# 1900T



S1900T 4 LEGS

# 1900F WOOD



S1900F WOOD 4 LEGS



TR1900T BENCH



TR1900F WOOD BENCH - FIXED SEAT



# 1900L



S1900L 4 LEGS

# TR1901



TR1901 BENCH



TR1900L BENCH




**02.**  
Bracciolo in nylon  
(fornito solo in coppia)  
*Nylon armrest*  
(supplied only in pairs)



**03.**  
Cestino portariviste  
*Newspaper rack*

**04.**  
Agganci in nylon  
*Nylon linking devices*




**05.**  
Bracciolo ambidestro  
in poliuretano  
*Ambidextrous armrest*  
*in polyurethane*



**06.**  
Tavoletta con snodo  
non antipánico  
*Writing tablet with*  
*no anti-panic joint*

**07.**  
Le sedie con bracciolo sono impilabili  
Le sedie con tavoletta non sono impilabili  
Le sedie con bracciolo 510 non sono impilabili  
*S1900 with armrests are stackable*  
*S1900 with writing tablet are not stackable*  
*S1900 with armrests 510 are not stackable*



## S1900P - S1900T - TR1900P - TR1900T

Sedile e schienale in polipropilene. Nella versione da tappezzare i pannelli e coperture sono in polipropilene o in legno. A richiesta e per lotti d'acquisto da definire con l'ufficio commerciale, è possibile avere sedile e schienale ignifugo. I puntali sono in polipropilene colore nero. Gambe e supporti schienale sono in tubo tondo Ø 25 mm, spessore 1,5 mm, secondo norma UNI 10305-3, mentre i traversi sono in tubo Ø18 mm spessore 1,5 mm secondo norma UNI 10305-3. Impilabilità massima: 10 sedie. Carrello verniciato in epossipoliesteri nero per trasporto massimo 10 sedie disponibile a catalogo. Finitura telaio: cromato con spessore medio di 5 micron, verniciato con polveri epossipoliesteri di colore nero o alluminio gofrato con spessore medio di 50 micron.

*Polypropylene seat and backrest. In the version for upholstery, the panels and covers are in polypropylene or wood. On request and for purchase quantities to be agreed with the sales department, seat and backrest can be supplied in fireproof version. Black polypropylene end-pieces. The legs and backrest supports are in round tube Ø 25 mm, thickness 1.5 mm, in compliance with the UNI 10305-3 standard, while the crosspieces are in tube Ø18 mm, thickness 1.5 mm, in compliance with UNI 10305-3 standard. Maximum stackability: 10 chairs. Black epoxy-polyester powder coated trolley for transporting maximum 10 chairs, available from catalogue. Frame finish: chromium-plated, average thickness 5 microns, black or embossed aluminium epoxy-polyester powder coating, average thickness 50 microns.*

## S1900L - TR1900L

Sedile e schienale in lamiera spessore 10/10 secondo norma UNI EN10130/92. Gambe e supporti schienale sono in tubo tondo Ø 25 mm, spessore 1,5 mm, secondo norma UNI 10305-3, mentre i traversi sono in tubo Ø18 mm spessore 1,5 mm secondo norma UNI 10305-3. Impilabilità massima: 10 sedie. Carrello verniciato in epossipoliesteri nero per trasporto massimo 10 sedie disponibile a catalogo. Finitura telaio: verniciato con polveri epossipoliesteri di colore nero o grigio lucido con spessore medio di 50 micron.

*Seat and backrest in sheet metal, thickness 10/10, in compliance with UNI EN10130/92 standard. Legs and backrest supports in round tube Ø 25 mm, thickness 1.5 mm, in compliance with UNI 10305-3 standard, crosspieces in tube Ø18 mm, thickness 1.5 mm, in compliance with UNI 10305-3 standard. Maximum stackability: 10 chairs. Black epoxy-polyester powder coated trolley for transporting maximum 10 chairs, available from catalogue. Frame finish: black or polished grey epoxy-polyester powder coating, average thickness 50 microns.*

## TR1901

Trave in metallo verniciato dim. 80x40 mm sp. 2mm disponibile in varie lunghezze (1230 - 1850 - 2460 - 2950 mm) per 2-3-4-5 posti, verniciata con polveri epossipoliesteri di colore nero o grigio gofrato con spessore medio di 50 micron.

Gamba in metallo con finitura cromata con spessore medio di 5 micron, oppure verniciata con polveri epossipoliesteri di colore nero o grigio lucido con spessore medio di 50 micron con piedini in polipropilene nero. Tavolino intermedio dim. 450x450 mm in legno laminato nero oppure tavolino in metallo perforato dim. 460 x 480 mm.

*Metal beam dim. 80x40 mm, thickness 2 mm, available in various lengths (1230 - 1850 - 2460 - 2950 mm) for 2-3-4-5 seats, black or embossed grey epoxy-polyester powder coating, average thickness 50 microns. Metal leg with chromium-plated finish, average thickness 5 microns, or black or polished grey epoxy-polyester powder coating, average thickness 50 microns, with black polypropylene feet. Intermediate table dim. 450x450 mm in black wood laminate or perforated metal table dim. 460 x 480 mm.*

## Certificazioni

Certifications



EN 16139

## Colori plastiche

Plastic colours



S001

Nero  
Black

## parti in metallo

Metal parts



O3

Verniciato nero gofrato  
Embossed black painted




O1

Cromato  
Chromium plated

## parti in metallo

Metal parts



O3

Verniciato nero gofrato  
Embossed black painted



35

Verniciato grigio lucido  
Polished grey painted

## \* optional: faggio


beech




LF01

Faggio naturale  
Natural beech


S1900 4 LEGS




S1900 4 LEGS WITH ARMS




TR1900 BENCH




S1900F e S1900T 4 LEGS




S1900F e S1900T 4 LEGS WITH ARMS AND TABLET




TR1900 BENCH FOR UPHOLSTERY - OVERTURNABLE SEAT




S1900L 4 LEGS



S1900L 4 LEGS WITH ARMS AND TABLET



TR1901 BENCH








TR1900L/TR1901 è una famiglia di componenti panca che può ospitare vari modelli di scocche fisse in metallo. Sono previste varie lunghezze di trave per 2-3-4-5 posti. Le gambe sono in metallo verniciato con puntali in plastica nera. Come optional, è possibile montare l'apposito tavolino in legno nobilitato.

*TR1900L-TR1901 is a family of bench components that can accommodate various models of fixed metal shells. Various beam lengths are provided for 2-3-4-5 seats. The legs are in painted metal with black plastic ferrules. As an option, it is possible to mount the special table in melamine wood.*

# TR1900L-TR1901L

PLYWOOD  
MONOSHELL



PLASTIC  
SEAT AND BACK



METAL  
SEAT AND BACK



# TR1900L-TR1901L

Trave in metallo verniciato dim. 80x40 mm sp. 2mm disponibile in varie lunghezze (1230 – 1850 – 2460 – 2950 mm) per 2-3-4-5 posti verniciata con polveri epossipoliestere di colore nero o grigio gofrato con spessore medio di 50 micron.

Gamba in metallo con finitura cromata con spessore medio di 5 micron, oppure verniciata con polveri epossipoliestere di colore nero o grigio gofrato con spessore medio di 50 micron con piedini in polipropilene nero. Tavolino intermedio dim. 450x450 mm in legno laminato nero.

*Metal beam dim. 80x40 mm, thickness 2 mm, available in various lengths (1230 – 1850 – 2460 – 2950 mm) for 2-3-4-5 seats, black or embossed grey epoxy-polyester powder coated, average thickness 50 microns.*

*Metal leg with chromium-plated finish, average thickness 5 microns, or with black or embossed grey epoxy-polyester powder coating, average thickness 50 microns, with black polypropylene feet. Intermediate table dim. 450x450 mm in black wood laminate.*

## Parti in metallo (trave)

*Metal parts (beam)*



Verniciato nero gofrato  
*Embossed black painted*



Grigio lucido  
*Glossy grey painted*



Verniciato alluminio gofrato  
*Embossed painted aluminium*

## Parti in metallo (gamba)

*Metal parts (leg)*



Verniciato nero gofrato  
*Embossed black painted*



Grigio lucido  
*Glossy grey painted*



Verniciato alluminio gofrato  
*Embossed painted aluminium*



Cromato  
*Chromium plated*




## Parti in legno nobilitato (modulo tavolino)

*Melamine parts (table module)*




Nero  
*Black*

WITHOUT ARMRESTS



WITH TABLE



Bracciolo panca  
*Bench armrest*

