



Lo schienale è proposto con forme diverse: un design più morbido e arrotondato, e uno di forma più squadrata, entrambi comunque confortevoli ed ergonomici.
Le versioni imbottite, anch'esse facilmente impilabili, possono essere dotate di braccioli fissi in due differenti forme con l'applicazione di tavolette per scrittura, anche antipanico.

*The backrest comes in different shapes: a softer, more rounded design or a squarer shape, both comfortable and ergonomic.
The versions for upholstery, which can also be easily stacked, can be provided with fixed armrests in two different forms with the application of tablet arms, also panic-proof.*

1900



1900P



S1900P 4 LEGS



S1900P 4 LEGS WITH ARMS



TR1900P BENCH

1900T



S1900T 4 LEGS



S1900T 4 LEGS WITH ARMS AND TABLET



BRTV520-DX
Bracciolo destro con tavoletta antipanico
Right arm with antipanic writing tablet



BRTV520-SX
Bracciolo sinistro con tavoletta antipanico
Left arm with antipanic writing tablet

SPVR520
Supporto bracciolo
Arm support



TR1900T BENCH FOR UPHOLSTERY - OVERTURNABLE SEAT

Tavoletta antipanico
sinistra per mancini
*Antipanic writing tablet
for left-handed*

1900T



S1900T 4 LEGS



TR1900T BENCH

1900F WOOD



S1900F WOOD 4 LEGS



TR1900F WOOD BENCH - FIXED SEAT

1900L



S1900L 4 LEGS

TR1901



TR1901 BENCH




TR1900L BENCH





03.
Cestino portariviste
Newspaper rack

04.
Agganci in nylon
Nylon linking devices



S1900P - S1900T - TR1900P - TR1900T

Sedile e schienale in polipropilene. Nella versione da tappezzare i pannelli e coperture sono in polipropilene o in legno. A richiesta e per lotti d'acquisto da definire con l'ufficio commerciale, è possibile avere sedile e schienale ignifugo. I puntali sono in polipropilene colore nero. Gambe e supporti schienale sono in tubo tondo Ø 25 mm, spessore 1,5 mm, secondo norma UNI 10305-3, mentre i traversi sono in tubo Ø18 mm spessore 1,5 mm secondo norma UNI 10305-3. Impilabilità massima: 10 sedie. Carrello verniciato in epossì-poliestere nero per trasporto massimo 10 sedie disponibile a catalogo. Finitura telaio: cromato con spessore medio di 5 micron, verniciato con polveri epossì-poliestere di colore nero o alluminio goffrato con spessore medio di 50 micron.

Polypropylene seat and backrest. In the version for upholstery, the panels and covers are in polypropylen or wood. On request and for purchase quantities to be agreed with the sales department, seat and backrest can be supplied in fireproof version. Black polypropylene end-pieces. The legs and backrest supports are in round tube Ø 25 mm, thickness 1.5 mm, in compliance with the UNI 10305-3 standard, while the crosspieces are in tube Ø18 mm, thickness 1.5 mm, in compliance with UNI 10305-3 standard. Maximum stackability: 10 chairs. Black epoxy-polyester powder coated trolley for transporting maximum 10 chairs, available from catalogue. Frame finish: chromium-plated, average thickness 5 microns, black or embossed aluminium epoxy-polyester powder coating, average thickness 50 microns.

S1900L - TR1900L

Sedile e schienale in lamiera spessore 10/10 secondo norma UNI EN10130/92. Gambe e supporti schienale sono in tubo tondo Ø 25 mm, spessore 1,5 mm, secondo norma UNI 10305-3, mentre i traversi sono in tubo Ø18 mm spessore 1,5 mm secondo norma UNI 10305-3. Impilabilità massima: 10 sedie. Carrello verniciato in epossì-poliestere nero per trasporto massimo 10 sedie disponibile a catalogo. Finitura telaio: verniciato con polveri epossì-poliestere di colore nero o grigio lucido con spessore medio di 50 micron.

Seat and backrest in sheet metal, thickness 10/10, in compliance with UNI EN10130/92 standard. Legs and backrest supports in round tube Ø 25 mm, thickness 1.5 mm, in compliance with UNI 10305-3 standard, crosspieces in tube Ø18 mm, thickness 1.5 mm, in compliance with UNI 10305-3 standard. Maximum stackability: 10 chairs. Black epoxy-polyester powder coated trolley for transporting maximum 10 chairs, available from catalogue. Frame finish: black or polished grey epoxy-polyester powder coating, average thickness 50 microns.

TR1901

Trave in metallo verniciato dim. 80x40 mm sp. 2mm disponibile in varie lunghezze (1230 - 1850 - 2460 - 2950 mm) per 2-3-4-5 posti, verniciata con polveri epossì-poliestere di colore nero o grigio goffrato con spessore medio di 50 micron.

Gamba in metallo con finitura cromata con spessore medio di 5 micron, oppure verniciata con polveri epossì-poliestere di colore nero o grigio lucido con spessore medio di 50 micron con piedini in polipropilene nero. Tavolino intermedio dim. 450x450 mm in legno laminato nero oppure tavolino in metallo perforato dim. 460 x 480 mm.

Metal beam dim. 80x40 mm, thickness 2 mm, available in various lengths (1230 - 1850 - 2460 - 2950 mm) for 2-3-4-5 seats, black or embossed grey epoxy-polyester powder coating, average thickness 50 microns. Metal leg with chromium-plated finish, average thickness 5 microns, or black or polished grey epoxy-polyester powder coating, average thickness 50 microns, with black polypropylene feet. Intermediate table dim. 450x450 mm in black wood laminate or perforated metal table dim. 460 x 480 mm.

Certificazioni

Certifications



EN 16139

Colori plastiche

Plastic colours



Nero

Black

parti in metallo

Metal parts



Verniciato nero goffrato
Embossed black painted



Verniciato grigio lucido
Polished grey painted

parti in metallo

Metal parts



Verniciato nero goffrato
Embossed black painted



Cromato
Chromium plated


* optional: faggio

beech




Faggio naturale
Natural beech


S1900 4 LEGS




S1900 4 LEGS WITH ARMS




TR1900 BENCH




S1900F e S1900T 4 LEGS




S1900F e S1900T 4 LEGS WITH ARMS AND TABLET




TR1900 BENCH FOR UPHOLSTERY - OVERTURNABLE SEAT




S1900L 4 LEGS



S1900L 4 LEGS WITH ARMS AND TABLET



TR1901 BENCH






TR1900L/TR1901 è una famiglia di componenti panca che può ospitare vari modelli di scocche fisse in metallo. Sono previste varie lunghezze di trave per 2-3-4-5 posti. Le gambe sono in metallo verniciato con puntali in plastica nera. Come optional, è possibile montare l'apposito tavolino in legno nobilitato.

TR1900L-TR1901 is a family of bench components that can accommodate various models of fixed metal shells. Various beam lengths are provided for 2-3-4-5 seats. The legs are in painted metal with black plastic ferrules. As an option, it is possible to mount the special table in melamine wood.

TR1900L-TR1901L

PLYWOOD
MONOSHELL



PLASTIC
SEAT AND BACK



METAL
SEAT AND BACK



TR1900L-TR1901L

Trave in metallo verniciato dim. 80x40 mm sp. 2mm disponibile in varie lunghezze (1230 – 1850 – 2460 – 2950 mm) per 2-3-4-5 posti verniciata con polveri epossì-poliestere di colore nero o grigio gofrato con spessore medio di 50 micron.
Gamba in metallo con finitura cromata con spessore medio di 5 micron, oppure verniciata con polveri epossì-poliestere di colore nero o grigio gofrato con spessore medio di 50 micron con piedini in polipropilene nero. Tavolino intermedio dim. 450x450 mm in legno laminato nero.

Metal beam dim. 80x40 mm, thickness 2 mm, available in various lengths (1230 – 1850 – 2460 – 2950 mm) for 2-3-4-5 seats, black or embossed grey epoxy-polyester powder coated, average thickness 50 microns.
Metal leg with chromium-plated finish, average thickness 5 microns, or with black or embossed grey epoxy-polyester powder coating, average thickness 50 microns, with black polypropylene feet.
Intermediate table dim. 450x450 mm in black wood laminate.


Parti in metallo (trave) *Metal parts (beam)*






Parti in metallo (gamba) *Metal parts (leg)*




Parti in legno nobilitato (modulo tavolino) *Melamine parts (table module)*



WITHOUT ARMRESTS



WITH TABLE



Bracciolo panca
Bench armrest

