

Intrigo

3715

DESIGN
Claudio Dondoli and Marco Poggi

PEDRALI®

100%
MADE IN
ITALY



mc 0,38
ft³ 13.4

kg 6,3
lb 13.9

max 10 pcs max 10 pcs

EN: Intrigo armchair with die-cast aluminium seat and extruded aluminium legs

IT: Poltrona Intrigo con seduta in pressofusione e gambe in estruso di alluminio

DE: Intrigo Armlehn-Stuhl mit Aluminiumdruckguss-Schale und Füßen aus stranggepresstem Aluminium

FR: Fauteuil Intrigo avec coque en aluminium moulé sous pression et pieds en aluminium extrudé

ES: Sillón Intrigo con carcasa de fundición de aluminio y patas de aluminio extruido

MATERIALS

Materiali
Materialien
Matériaux
Materiales

• SEAT - SEDUTA - SITZ - ASSISE - ASIENTO

EN: Seat in die-cast aluminium, anodized

IT: Seduta in pressofusione di alluminio, anodizzata

DE: Sitz aus Aluminiumdruckguss, anodisiert

FR: Assise en aluminium moulé sous pression, anodisé

ES: Asiento de aluminio fundido a presión, anodizado

• LEGS - GAMBE - FÜSSE - PIEDS - PATAS

EN: Extruded aluminium legs, 22x22 mm

IT: Gambe in estruso di alluminio, 22x22 mm

DE: Extrudierten Aluminium Füße, 22x22 mm

FR: Pied en extrudé d'aluminium, 22x22 mm

ES: Patas de aluminio extruido, 22x22 mm

SEAT AND LEGS FINISH - FINITURA SEDUTA E GAMBE - AUSFÜHRUNG DES SITZ UND FÜSSE - FINITIONS ASSISE ET PIEDS - ACABADO ASIENTO Y PATAS

EN: Powder coating

IT: Verniciato con polvere

DE: Pulverbeschichtet

FR: Époxy à poudre

ES: Barnizado con polvo



BI200E BE200E GAE NPE MGE AR500E RO200E VE100E VE300E VE600E AZ100E BL500E

EN: For full range of color available see finishing legend on the website

IT: Per tutta la gamma di colori disponibili vedere legenda finiture sul sito web

FEET - PIEDINI - GLEITER - PATINS - TACOS

EN: Polypropylene, silver or black

IT: Polipropilene, argento o nero

DE: Polypropylen, silberfarben oder schwarz

FR: Polypropylène, argent ou noir

ES: Polipropileno, plata o negro

ACCESSORIES

Accessori
Zubehörteile
Accessoires
Accesorios

code 1391.100__AL

EN: Trolley

IT: Carrello

DE: Wagen

FR: Chariot

ES: Carrito

DESIGN
Claudio Dondoli and Marco Poggi

code 3715.5

EN: Cushion

IT: Cuscino

DE: Kissen

FR: Coussin

ES: Cojín

code 3715.20

EN: Cushion seat and backrest

IT: Cuscino sedile e schienale

DE: Sitz- und Rückenklissen

FR: Coussin d'assise et de dossier

ES: Cojín de asiento y respaldo

REGULATIONS AND CERTIFICATES

Normative e Certificazioni
Bestimmungen und Zertifikat
Normatives et certifications
Normativas y certificados

• RESISTANCE TEST - TEST DI RESISTENZA - TEST ZUR BELASTBARKEIT - TEST DE RÉSISTANCE - PRUEBA DE RESISTENCIA

EN 1728:2012, 6.4 - EN 16139:2013, L2

EN 1728:2012, 6.5 - EN 16139:2013, L2

EN 1728:2012, 6.17 - EN 16139:2013, L2

EN 1728:2012, 6.20 - EN 16139:2013, L2

• ENVIRONMENTAL IMPACT - IMPATTO AMBIENTALE - UMWELTBELASTUNG - IMPACT SUR L'ENVIRONNEMENT - IMPACTO AMBIENTAL

MATERIAL Materiale	Kg WEIGHT Peso	% TOTAL ITEM Totale articolo	MATERIAL RECYCLABILITY Riciclabilità del materiale	% MINIMUM RECYCLED AT ORIGIN Minima riciclato all'origine	% RECYCLABLE END OF PRODUCT LIFE Riciclabile fine vita prodotto
Steel Acciaio	0,005	0,1	YES	33,2	100
Extruded aluminium Alluminio estruso	0,5	7,8	YES	0	100
Die-cast aluminium Alluminio pressofuso	5,8	91	YES	94	100
Zamak Zama	0,034	0,5	YES	50	100
Technopolymer Tecnopolimero	0,03	0,5	YES	0	100
TOTAL TOTALE	6,37Kg	--	--	85,8 %	100 %

• COMPANY CERTIFICATIONS - CERTIFICAZIONI AZIENDALI - UNTERNEHMENSZERTIFIZIERUNGEN - CERTIFICATIONS D'ENTREPRISE - CERTIFICACIONES DE LA EMPRESA

ISO 14001

Environmental management system
Sistema di gestione ambientale

ISO 9001

Quality management system
Sistema di gestione della qualità



Intrigo

3715.5


PEDRALI®

100%
MADE IN
ITALY

DESIGN
Claudio Dondoli and Marco Poggi



3715.5
EN: Optional cushion for item 3715
IT: Cuscino opzionale per articolo 3715



mc 0,056
ft³ 2

kg 0,6
lb 1.32

EN: Removable cushion for Intrigo armchair with hook-and-loop fastener

IT: Cuscino rimovibile per poltrona Intrigo con fissaggio a strappo
DE: Abnehmbares Kissen für Sessel Intrigo mit Klettverschluss
FR: Coussin amovible pour fauteuil Intrigo avec fermeture auto-agrippante
ES: Cojín desmontable para el sillón Intrigo con cierre de velcro

MATERIALS

Materiali
Materialien
Matériaux
Materiales

• SEAT - SEDUTA - SITZ - ASSISE - ASIEN TO

N: Cushion padded in flexible polyurethane foam fire retardant grade (densità 40+22 kg/m³), covered with water-resistant fabric* with rear fastening straps with tear release

IT: Cuscino imbottito in poliuretano espanso flessibile ignifugo (densità 40+22 kg/m³), rivestito in tessuto idrorepellente* antimacchia con nastri posteriori di fissaggio con strappo

DE: Gepolstertes Kissen aus feuerfestem Polyurethan-Weichschaumstoff (Dichte 40+22 kg/m³), bezogen mit schmutzabweisendem, wasserabweisendem* Stoff und Befestigungsbändern mit Klettverschluss auf der Rückseite

FR: Coussin rembourré en mousse de polyuréthane flexible ignifuge (densité 40+22 kg/m³), recouvert d'un tissu hydrofuge* anti-taches avec bandes de fixation arrière à fermeture velcro

ES: Cojín tapizado de espuma de poliuretano flexible ignifugo (densidad 40+22 kg/m³), forrado de tela hidrófuga*, recubierto de tejido repelente al agua y resistente a las manchas, con cintas traseras de velcro

EN: *We suggest to remove the cushions over night and in rainy days

IT: *Si consiglia di ritirare i cuscini durante la notte e in caso di pioggia

DE: *Es wird empfohlen, die Kissen während der Nacht und bei Regen abzuholen

FR: *Nous conseillons de rentrer les coussins la nuit et en cas de pluie

ES: *Es aconsejable recoger los cojines por la noche y en caso de lluvia

FABRIC - TESSUTO - STOFF - TISSU - TEJIDO

Cat. D22÷D26 - D80÷D89 - D100÷D103

EN: For more information see finishing legend on the website

IT: Per maggiori informazioni vedere legenda finiture sul sito web

• FISSAGGIO - FIXING - BEFESTIGUNG - FIXATION - FIJACIÓN

EN: Removable cushion, fastening with Velcro strips

IT: Cuscino rimovibile, fissaggio mediante nastri a strappo

DE: Abnehmbar Kissen, Befestigung mit Klettstreifen

FR: Coussin amovible, fixation par bandes en Velcro

ES: Cojín removible, fijación mediante cintas de velcro

DESIGN
Marco Pucci and Claudio Dondoli

REGULATIONS AND CERTIFICATES

Normative e Certificazioni
Bestimmungen und Zertifikat
Normatives et certifications
Normativas y certificados

• ENVIRONMENTAL IMPACT - IMPATTO AMBIENTALE - UMWELTBELASTUNG - IMPACT DUR L'ENVIRONNEMENT - IMPACTO AMBIENTAL

MATERIAL Materiale	Kg WEIGHT Peso	% TOTAL ITEM Totale articolo	MATERIAL RECYCLABILITY Riciclabilità del materiale	% MINIMUM RECYCLED AT ORIGIN Minima riciclato all'origine	% RECYCLABLE END OF PRODUCT LIFE Riciclabile fine vita prodotto
Polyestere Poliestere	0,30	47,24	NO	0	0
Polyurethane foam Poliuretano espanso	0,16	25,2	NO	0	0
Fabric Tessuto	0,18	27,56	NO	0	0
TOTAL TOTALE	0,64 Kg	--	--	--	--

• COMPANY CERTIFICATIONS - CERTIFICAZIONI AZIENDALI - UNTERNEHMENSZERTIFIZIERUNGEN - CERTIFICATIONS D'ENTREPRISE - CERTIFICACIONES DE LA EMPRESA


ISO 14001
Environmental management System
Sistema di gestione ambientale



ISO 9001
Quality management systems
Sistema di gestione della qualità



DESIGN
Marco Pucci and Claudio Dondoli



mc 0,056
ft³ 2

kg 0,95
lb 2.1

EN: Removable cushions for Intrigo armchair with hook-and-loop fastener

IT: Cuscini rimovibili per poltrona Intrigo con fissaggio a strappo

DE: Abnehmbares Kissen für Sessel Intrigo mit Klettverschluss

FR: Coussins amovible pour fauteuil Intrigo avec fermeture auto-agrippante

ES: Cojines desmontable para el sillón Intrigo con cierre de velcro

MATERIALS

Materiali
Materialien
Matériaux
Materiales

• SEAT - SEDUTA - SITZ - ASSISE - ASIENTO

EN: Cushion padded in flexible polyurethane foam fire retardant grade (density 40+22 Kg/dm³), covered with water-resistant fabric *

IT: Cuscino imbottito in poliuretano espanso flessibile ignifugo (densità 40+22 Kg/dm³), rivestito in tessuto idrorepellente* antimacchia

DE: Gepolstertes Kissen aus feuerfestem Polyurethan-Weichschaumstoff (Dichte 40+22 Kg/dm³), bezogen mit schmutzabweisendem, wasserabweisendem* Stoff

FR: Coussin rembourré en mousse de polyuréthane flexible ignifuge (densité 40+22 Kg/dm³), recouvert d'un tissu hydrofuge* anti-taches

ES: Cojín tapizado de espuma de poliuretano flexible ignifugo, (densidad 40+22 kg/m³), forrado de tela hidrófuga*, recubierto de tejido repelente al agua y resistente a las manchas

• BACKREST - SCHIENALE - RÜCKENLEHNE - DOSSIER - RESPALDO

EN: Padded cushion made of flame-retardant polyester (density 450Kg/dm³), covered with water-resistant fabric *

IT: Cuscino imbottito in poliestere (densità 450Kg/dm³) ignifugo, rivestito in tessuto idrorepellente* antimacchia

DE: Gepolstertes Kissen aus flammhemmendem Polyester (Dichte 450 kg/dm³), bezogen mit schmutzabweisendem, wasserabweisendem* Stoff

FR: Coussin rembourré en polyester ignifugé (densité 450 kg/dm³), recouvert d'un tissu hydrofuge* anti-taches

ES: Cojín acolchado de poliéster ignifugo (desintà 450Kg/dm³), forrado de tela hidrófuga*, recubierto de tejido repelente al agua y resistente a las manchas

EN: *We suggest to remove the cushions over night and in rainy days

IT: *Si consiglia di ritirare i cuscini durante la notte e in caso di pioggia

DE: *Es wird empfohlen, die Kissen während der Nacht und bei Regen abzuholen

FR: *Nous conseillons de rentrer les coussins la nuit et en cas de pluie

ES: *Es aconsejable recoger los cojines por la noche y en caso de lluvia

FABRIC - TESSUTO - STOFF - TISSU - TEJIDO

Cat. D22÷D26 - D80÷D89 - D100÷D103

EN: For more information see finishing legend on the website

IT: Per maggiori informazioni vedere legenda finiture sul sito web

• FISSAGGIO - FIXING - BEFESTIGUNG - FIXATION - FIJACIÓN

EN: Removable cushion, fastening with Velcro strips

IT: Cuscino rimovibile, fissaggio mediante nastri a strappo

DE: Abnehmbar Kissen, Befestigung mit Klettstreifen

FR: Coussin amovible, fixation par bandes en Velcro

ES: Cojín removible, fijación mediante cintas de velcro

DESIGN

Marco Pucci and Claudio Dondoli

REGULATIONS AND CERTIFICATES

Normative e Certificazioni
Bestimmungen und Zertifikat
Normatives et certifications
Normativas y certificados

• ENVIRONMENTAL IMPACT - IMPATTO AMBIENTALE - UMWELTBELASTUNG - IMPACT DUR L'ENVIRONNEMENT - IMPACTO AMBIENTAL

MATERIAL Materiale	Kg WEIGHT Peso	% TOTAL ITEM Totale articolo	MATERIAL RECYCLABILITY Riciclabilita' del materiale	% MINIMUM RECYCLED AT ORIGIN Minima riciclato all'origine	% RECYCLABLE END OF PRODUCT LIFE Riciclabile fine vita prodotto
Polyestere Poliestere	0,16	17,09	YES	0	100
Polyurethane foam Poliuretano espanso	0,65	69,44	NO	0	100
Fabric Tessuto	0,13	13,46	NO	0	100
TOTAL TOTALE	0,94 Kg	--	--	-	17,1%

• COMPANY CERTIFICATIONS - CERTIFICAZIONI AZIENDALI - UNTERNEHMENSZERTIFIZIERUNGEN - CERTIFICATIONS D'ENTREPRISE - CERTIFICACIONES DE LA EMPRESA

ISO 14001
Environmental management System
Sistema di gestione ambientale



ISO 9001
Quality management systems
Sistema di gestione della qualità

